

- Steady output water quality
- Can be placed on or underground
- Automated water treatment process
- Optimized energy use

## SPACEDRIP MICRO DATA SHEET

MODEL 1: WASTEWATER TREATMENT WITH WATER REUSE FOR OFF-GRID DEVELOPMENTS

For 10-50 people (PE) (500-3000L of wastewater / day)

### TECHNICAL:

WATER INPUT	Domestic wastewater (toilet + greywater)
WATER REUSE	Irrigation, toilet flushing, technical reuse
SIZE	6-9m <sup>3</sup> volume of treatment / reservoir tanks
PACKAGING	Underground or containerized (not included in standard set)
MAINTENANCE	Sedimentation removal in 6 months (average), maintenance 1 x per year (Average)
TREATMENT	Membrane filtration, aerobic bioreactor, nitrogen removal, sedimentation



UP TO 0.12 KWH  
PER PERSON / DAY



ONLINE MONITORING  
OPTION




AUTOMATED MAINTENANCE WITH 3+  
SENSORS

Price starting from: 19 000€

Delivery time: 2-6 months


Order now: [sales@spacedrip.eu](mailto:sales@spacedrip.eu)

[www.spacedrip.eu](http://www.spacedrip.eu)



- Steady output water quality
- Can be placed on or underground
- Automated water treatment process
- Optimized energy use

HOW WE ENSURE WATER QUALITY:

 LIVE WATER QUALITY MONITORING

 MEMBRANE FOULING CONTROL

# SPACEDRIP MICRO - GREYWATER CIRCULATION

MODEL 2: GREYWATER TREATMENT SYSTEM WITH WATER REUSE FOR OFF-GRID DEVELOPMENTS

For 10-50 people (PE) (500-3000L of wastewater / day)

TECHNICAL:

WATER INPUT	Domestic greywater (shower, tap water, laundry, dishwasher, bath)
WATER REUSE	Inhouse water reuse: tap water, shower, laundry, dishwasher
SIZE	6-9m3 volume of treatment / reservoir tanks
PACKAGING	Underground or containerized (not included in standard set)
MAINTENANCE	Sedimentation removal in 6 months (average), maintenance 1 x per year (Average)
TREATMENT	Membrane filtration, aerobic bioreactor, nitrogen removal, reverse osmosis, UV or electrolysis disinfection

 UP TO 0.12 KWH PER PERSON / DAY

 ONLINE MONITORING OPTION


 AUTOMATED MAINTENANCE WITH 3+ SENSORS

Price starting from: 26 000€

Available from August 2022

Reserve now: [sales@spacedrip.eu](mailto:sales@spacedrip.eu)

[www.spacedrip.eu](http://www.spacedrip.eu)



- Steady output water quality
- Can be placed on or underground
- Automated water treatment process
- Optimized energy use

HOW WE ENSURE WATER QUALITY:

 LIVE WATER QUALITY MONITORING

 MEMBRANE FOULING CONTROL

# SPACEDRIP MICRO - WASTEWATER CIRCULATION

## MODEL 3: WASTEWATER TREATMENT WITH WATER CIRCULATION FOR OFF-GRID DEVELOPMENTS

For 10-50 people (PE) (500-3000L of wastewater / day)

### TECHNICAL:

WATER INPUT	Domestic wastewater (toilet + greywater)
WATER REUSE	Inhouse water reuse: tap water, shower, laundry, dishwasher, toilet flushing
SIZE	6-9m3 volume of treatment / reservoir tanks
PACKAGING	Underground or containerized (not included in standard set)
MAINTENANCE	Sedimentation removal in 6 months (average), maintenance 1 x per year (Average)
TREATMENT	Membrane filtration, aerobic bioreactor, nitrogen removal, reverse osmosis, UV or electrolysis disinfection



UP TO 0.12 KWH PER PERSON / DAY



ONLINE MONITORING OPTION



AUTOMATED MAINTENANCE WITH 3+ SENSORS

Price starting from: 32 000€

Available from August 2022

Reserve now: [sales@spacedrip.eu](mailto:sales@spacedrip.eu)

[www.spacedrip.eu](http://www.spacedrip.eu)